


STAGE PLOT & TECH RIDER

(Bass & Percussions will be 2-3 feet backward from Guitar & Flute)





MUSICIANS' REQUIREMENTS

INDUICIAINS REQUIREINENS						
	Qty	Specs	Note			
Backline (DRUMKIT)		-				
Floor Tom	1	16" (preferred) or 14"				
Cymbals		1 Ride (20")	Zildjian K -series (<mark>preferred</mark>)			
·		1 Crash (16")	or			
		1 Splash (10")	Zildjian ZBT -series			
		1 pair Hi-hat (14") (<u>Thin</u> cymbals)	or			
		1 Hi-Hat stand	Paiste PST (preferred) / 201 -series			
Cymbal Stands (w/ Boom)	4	with Nut, Felt, Sleeves				
Backline (GUITAR)						
Guitar Amp (optional)	1	Marshall JCM-800 / Roland JC-120 / Vox AC-30	If Amp is already available onstage, then ok or			
Bass Amp	1	Ampeg / Hartke / SWR / Gallien Kruger	else no problem			
DI box	1	BSS / Radial / Klark Technik or equivalent				
	•					
OTHERS						
Stage Monitors	4	RCF / JBL or equivalent				
Phono-to-Phono Cables	5		new cables (<mark>preferred</mark>)			
Mics & Stands		as per I/O sheet (page 3)				
Music Notation Stands	3					
Guitar Stands	2	w/ Neck Holder (preferred)				
Stools (OR Armless chairs)	3	NO Armrest	minimum 2' - max. 2.5' (height)			
Tables – small, low-height	1		min. 2' (length) x 1' (breadth) x 2' (height)			
(to keep flutes, percussions etc.)						
Power Supply (board/socket)	2					
Sun-shades	4	during Soundcheck (if open-air venue)				
	_					





MIXER INPUT LIST

INPUT #	INSTRUMENTS	MIC	AUX Patch	INSERT	Mic Stand	NOTE
нутнм						
1	Tabla	Shure SM 57	AUX 3		midsize	
2	Вауа	Shure Beta 57	AUX 3		midsize	
3	Cajon (front)	Shure SM 57	AUX 3	Gate 1 / Comp 1	short	
4	Cajon (back)	Shure Beta 52A	AUX 3	Gate 2 / Comp 2	short	
5	Floor Tom	Shure KSM-32 / Sennheiser E-604	AUX 3	Gate 3	midsize	
6	Hi-Hat	Shure SM 81	AUX 3		midsize	
7	Overhead	Shure SM 81	AUX 3	- 10db	tall	
	Cuitor		ALIV 1	I	T	Cuitar Cables (nam)
8	Guitar Bass Guitar	DI DI	AUX 1			
8 9 10	Guitar Bass Guitar Flute	DI DI Shure SM 58	AUX 1 AUX 2 AUX 4		tall	
8 9	Bass Guitar	DI	AUX 2		tall	Guitar Cables (new)
8 9 10	Bass Guitar	DI	AUX 2		tall midsize	Guitar Cables (new)
8 9 10	Bass Guitar Flute	DI Shure SM 58	AUX 2 AUX 4			Guitar Cables (new) Guitar Cables (new) Delay/Reverb Delay/Reverb (as required)

Mic stands - tall (4); midsize (5); short (2)

Please forward a copy of this list, to your Sound contractor



STAGE SOUND:

- Preferably a Digital Desk Yamaha TF5 / Digidesign SC48 / Soundcraft Si or Vi series / Behringer x32 / Midas M32 / Digico / Allen & Heath
- FOH Mixer must be a minimum of 24-Channels / Direct Outs / Frequency selective HPF's and 4 band parametric Equaliser.
- Must be serviced and cleaned prior to show.
- The sound engineer needs to have <u>eye contact with all the musicians on stage</u>, so consider raising the entire mixing position if necessary, usually about 1 foot is sufficient.
- The Stage/FOH power source must be earthed.
- Sound & Light power sources/generators must be different.

TECHNICAL REQUIREMENTS

(Sound & Light power sources must be different)

SOUND	LIGHT
Stage Monitors :	Soothing Lightframes.
4 (minimum)	Stage needs to be well-lit.
	OPTIONAL: Moving head spots / beams (no washes), Profiles, PAR, LED Moving Lights, Quantum, Batten, Strobe, Sharpy/ Pointee, Laser, Haze, Way Blinder, Smoke machine



STAGE SETUP / SOUNDCHECK:

- Incase of an outdoor show, we need the stage covered and also the sound console.
- 2 persons needed onstage for load-in, setup, load-out.
- First, all our Music Instruments to be set onstage (and also Mics, Music Stands, Stools etc.).
- Only after all the backline gear is positioned and operational onstage, we need minimum 1 hour (sound check), after which our instruments cannot be moved from the stage.
- 2 Water bottles (0.5 L) per Musician & Juices, snacks (wrap / sandwich / patty), to be provided during sound check.
- 2 fans, Sun-shades needed onstage (in summer).
- Incase there is another artist performing as well, we'll perform first.
- We do not share our instruments with anybody. In case of another artist, separate sound setup, amps, drumkit must be provided for them.
- The organizer must provide **ample security**, for the safety of our band's equipment.

DRESSING ROOM RIDER:

- Secure greenroom backstage, minimum 5m x 5m (w/ Air Conditioning & Lock) OR a 2-door Vanity Van backstage for our exclusive use OR book 1 good room in a 3-4 star hotel/guesthouse near the venue, that we can use as a dressing room and then drive to the stage.
- 5 chairs, Full length Mirror
- Juices, Snacks, Tea/Coffee, Water bottles

(+91) 8146127653 (whatsapp) / gharanamusic@yahoo.com / facebook.com/GharanaFusion