



## **STAGE PLOT & TECH RIDER**

(Percussionist will be atleast 5-feet backward from Guitarist & Flutist)

#### **PERCUSSIONS** (sit)



#### **GUITAR** (sit)



Stool







Stage Monitor

\_\_\_\_\_\_



**AUDIENCE** 





# **MUSICIANS' REQUIREMENTS**

10001011110 112Q011121110							
	Qty	Specs	Note				
Backline (PERCUSSIONS): you can get from any Sound vendor							
Cymbal Stands (w/ Boom)	2	with Nut, Felt, Sleeves	We carry our own Cymbals				
OTHERS:	OTHERS:						
Phono-to-Phono Cables	2		Guitar cables				
Stage Monitors	2	RCF (preferred) / JBL / Yamaha or equivalent					
Mics & Stands		as per I/O sheet (page 3)					
Stools (OR Armless chairs)	2	NO Armrest	minimum <b>2'</b> - max. <b>2.5'</b> (height)				
Tables – small, low-height	2		minimum <b>2'</b> (length) x <b>1'</b> (breadth) x <b>2'</b> (height)				
(to keep Flutes, Percussions etc.)			OR something like this				
<b>Electric-Power Supply Board</b>	1		To power on 1 Guitar & 1 Guitar Processor				



## **MIXER INPUT LIST**

INPUT #	INSTRUMENTS	MIC	Mic Stand	NOTE		
нүтнм						
1	Tabla	Shure <b>SM 57</b>	midsize			
2	Baya	Shure <b>Beta 57</b>	midsize			
3	Cajon (front)	Shure SM 57	short			
4	Cajon (back)	Shure Beta 52A	short			
5	Overhead	Shure SM 81	tall			
6	Ghunghroo (right leg)	Shure <b>SM 57</b>	short			
1ELODY						
7	Guitar	DI		Guitar Cables (new)		
8	Flute	Shure <b>SM 58</b>	tall	Reverb (as needed)		
<b>OCALS</b>						
9	Vox (guitarist)	Shure <b>SM 58</b>	midsize			
10	Vox (percussionist) (w/ kanjira, shakers)	Shure <b>SM 58</b>	tall	Reverb (as needed)		

Mic stands - tall (3); midsize (3); short (3)

MICs Summary	QTY	
Shure SM 57	3	If some Mics not available, then equivalent mics can be used
Shure SM 58	3	
Shure <b>Beta 57</b>	1	If Shure Beta 57 or Beta 52A unavailable, use SM 58
Shure Beta 52A	1	If Shure SM 81 unavailable, use SM 57
Shure SM 81	1	

Please forward a copy of this list, to your Sound contractor

www.gharanaworld.com



#### **STAGE SOUND:**

- Preferably a Digital Desk Yamaha / Digidesign / Soundcraft Si or Vi series / Behringer / Midas / Digico / Allen & Heath
- FOH Mixer must be a minimum of 12-Channels.
- Must be serviced and cleaned prior to show.
- The sound engineer needs to have **eye contact with all the musicians on stage**.
- The Stage/FOH power source must be earthed.
- Sound & Light power sources/generators must be different.

#### **TECHNICAL REQUIREMENTS**

SOUND SYSTEM (Loudspeakers)	LIGHT				
L'Acoustics / D&B / JBL / RCF / Yamaha or equivalent	Soothing Lights.				
- System should be of even coverage throughout the entire venue	Stage needs to be well-lit.				
- System should be configured in Stereo					



### **STAGE SETUP / SOUNDCHECK:**

- 1 person needed onstage for load-in, setup, load-out.
- First, all our Music Instruments to be set onstage (and also Mics, Music Stands, Stools etc.).
- Only after all the backline gear is positioned and operational onstage, we need minimum 1 hour (sound check), post which our instruments cannot be moved from the stage.
- 2 Water bottles (0.5 L) per Musician.
- We do not share our instruments with anybody. In case of another artist, separate sound setup, amps, drumkit must be provided for them.
- The organizer must provide **ample security**, for the safety of our band's equipment.

<u>CONTACT</u>: (+91) **8146127653** (Whatsapp) / gharanamusic@yahoo.com / facebook.com/GharanaFusion