



#### **STAGE PLOT & TECH RIDER**

(Percussions will be atleast 5-feet backward from Guitar & Flute. Vocalist will be moving onstage)

# VOCAL (stand)



Music-stand



#### **PERCUSSIONS** (sit)















-----



**AUDIENCE** 





# **MUSICIANS' REQUIREMENTS**

Qty	Specs	Note				
Backline (DRUMKIT): you can rent as part of Drumkit, from any Music shop or Sound vendor						
	1 Ride (20")	Zildjian K-series / ZBT-series				
	1 Crash (16")	or				
	_ · · · · ·	Paiste PST-series / 201-series				
	1 pair Hi-hat (14") ( <u>Thin</u> cymbals)	or				
		Meinl Byzance-series (Thin)				
		or				
		<u>Istanbul</u> XIST-series / Agop-series / OM-series				
4		for Ride, Crash, Splash, Windchimes+Cowbell				
1	<b>16"</b> (preferred) or 14"					
1	BSS / Radial / Klark Technik or equivalent					
	as per I/O sheet (page 3)					
4	RCF / JBL or equivalent					
5		Guitar cables - new (preferred)				
1						
1	w/ Neck Holder (preferred)					
3	NO Armrest	minimum <b>2'</b> - max. <b>2.5'</b> (height)				
1		minimum <b>2'</b> (length) x <b>1'</b> (breadth) x <b>2'</b> (height)				
		OR equivalent				
2		To power on 1 Guitar & 2 EFX Processors				
	4 1 1 3 1	1 Ride (20") 1 Crash (16") 1 Splash (10") 1 pair Hi-hat (14") (Thin cymbals)  4 with Nut, Felt, Sleeves 1 16" (preferred) or 14"  1 BSS / Radial / Klark Technik or equivalent  as per I/O sheet (page 3) 4 RCF / JBL or equivalent  5 1 1 w/ Neck Holder (preferred) 3 NO Armrest 1				

www.gharanaworld.com



## **MIXER INPUT LIST**

INPUT#	INSTRUMENTS	MIC	AUX Patch	INSERT	Mic Stand	NOTE
нүтнм						
1	Tabla	Sennheiser E-914 / Shure SM 57	AUX 3		midsize	
2	Baya	Shure <b>Beta 57</b>	AUX 3		midsize	
3	Cajon (front)	Shure SM 57	AUX 3	Gate 1 / Comp 1	short	
4	Cajon (back)	Shure <b>Beta 52A</b>	AUX 3	Gate 2 / Comp 2	short	
5	Floor Tom	Sennheiser E-904 / Shure KSM-32	AUX 3	Gate 3	midsize	
6	Hi-Hat	Shure SM 81 / Shure SM 57	AUX 3		midsize	
7	Overhead (left)	Sennheiser E-914 / Shure SM 81	AUX 5	-5dB	tall	
8	Overhead (right)	Sennheiser E-914 / Shure SM 81	AUX 5	-5dB	tall	
MELODY		T	1	T		
9	Guitar	DI	AUX 1			Guitar Cables (new)
10	Flute	Shure <b>SM 58</b>	AUX 4		tall	Reverb (as needed)
OCALS						
11	Vox (female)	Shure SM 58	AUX 2		midsize	
12	Vox (guitarist)	Shure SM 58	AUX 1		tall	Reverb (as needed)
13	Vox (percussionist) (w/ kanjira, shakers)	Shure <b>SM 58</b>	AUX 3		tall	
A*						

Mic stands - tall (5); midsize (5); short (2)

(Sennheiser mics are preferred, if unavailable then Shure mics)

MIC Summary	QTY
Shure SM 57	2
Shure SM 58	3
Shure Beta 57	1
Shure Beta 52A	1
Shure KSM-32	1
Shure SM 81	3

Please forward a copy of this list, to your Sound Vendor



### **STAGE SOUND:**

- Preferably a <u>Digital Desk</u> Yamaha / Digidesign / Soundcraft / Behringer / Midas / Digico / Allen & Heath
- FOH Mixer must be a minimum of 16-Channels / Direct Outs.
- Must be serviced and cleaned prior to show.
- The sound engineer needs to have <u>eye contact with all the musicians on stage</u>, so consider raising the entire mixing position if necessary, usually about 1-foot is sufficient.
- The Stage/FOH power source must be earthed.
- Sound & Light power sources/generators must be different.

#### **OTHER TECHNICALS**

SOUND SYSTEM (Loudspeakers)	LIGHT		
L'Acoustics / D&B / JBL / RCF / Yamaha or equivalent	Soothing Lights.		
<ul> <li>System must consist of a 3-way or 4-way system with sufficient amplification and speaker enclosures to cover the entire seating area (Venue's Maximum Capacity)</li> <li>System shall be of even coverage throughout the entire venue</li> <li>(if possible) Adequate Center-Fills &amp; Side-Fills to be provided by vendor incase stage is more than 40-feet wide</li> </ul>	Stage needs to be well-lit.  OPTIONAL: Moving head spots / beams (no washes), Profiles, PAR, LED Moving Lights, Quantum, Batten, Strobe, Sharpy/ Pointee, Laser, Haze, Way Blinder, Smoke machine		
<ul> <li>System should be flown whenever possible or elevated. System, if stacked, should be a maximum of 6-feet from front of main stage (both Left &amp; Right). This includes the sound wings and is applicable any time the system is not flown.</li> <li>System should be configured in Stereo</li> </ul>			

www.gharanaworld.com



### **STAGE SETUP / SOUNDCHECK:**

- Incase of an outdoor show, we need the stage covered and also the sound console.
- **2 persons needed onstage** for load-in, setup, load-out.
- First, all our Music Instruments to be set onstage (and also Mics, Music Stands, Stools etc.).
- Only after all the backline gear is positioned and operational onstage, we need minimum 1 hour (sound check), post which our instruments cannot be moved from the stage.
- 2 Water bottles (0.5 L) per Musician.
- **2 Fans, Sun-shades needed onstage** (during Summer).
- Incase there is another artist performing as well, we'll perform first.
- We do not share our instruments with anybody. In case of another artist, separate sound setup, amps, drumkit must be provided for them.
- The organizer must provide **ample security**, for the safety of our band's equipment.

#### **DRESSING ROOM RIDER:**

- Secure greenroom backstage, minimum 5m x 5m (w/ Air Conditioning & Lock) OR a 2-door Vanity Van backstage for our exclusive use OR Book 1 good room in a 3-4 star hotel/guesthouse near the venue, that we can use as a dressing room and then drive to the stage.
- 5 chairs, Full length Mirror
- Juices, Snacks, Water bottles

CONTACT: Mr. Susnata: +91 8146127653 (Whatsapp) / gharanamusic@yahoo.com

Facebook/Instagram: Gharana Fusion